



# Amarr® Carriage Court CC4000

Steel Overlay Carriage House Garage Doors





Kensington design with Clear Square windows  
in Almond/White with Blue Ridge decorative hardware



Newberry design with Closed Square  
in Sandtone/White with Canterbury decorative handles



Tanglewood design with Closed Arch  
in Wicker Tan/White with Versailles decorative hardware



**Distinctly defined.** The Amarr Carriage Court collection adds increased curb appeal to your home with 18 highly defined carriage house garage door designs. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

# Amarr Carriage Court CC4000

## DESIGNS AVAILABLE WITH WINDOWS



Arcadia design in Sandtone/White with Maple Creek decorative handles and Clavos

### LAURELBAY (LB)\*



CLOSED SQUARE (LB104)



CLOSED SQUARE (LB104)




CLOSED ARCH (LB105)




CLEAR SQUARE (LB115)




CLEAR ARCH (LB114)




3 LITE SQUARE (LB106)



3 LITE ARCH (LB110)



6 LITE SQUARE (LB112)



6 LITE ARCH (LB108)



4 LITE SQUARE (LB107)



4 LITE ARCH (LB111)



8 LITE SQUARE (LB113)




8 LITE ARCH (LB109)


### PINETOP (PT)




CLOSED SQUARE (PT104)




CLOSED SQUARE (PT104)




CLOSED ARCH (PT105)




CLEAR SQUARE (PT115)




CLEAR ARCH (PT114)




3 LITE SQUARE (PT106)




3 LITE ARCH (PT110)




6 LITE SQUARE (PT112)




6 LITE ARCH (PT108)




4 LITE SQUARE (PT107)



4 LITE ARCH (PT111)




8 LITE SQUARE (PT113)



8 LITE ARCH (PT109)

## CONSTRUCTION



### STEEL

Four-Layer: Overlay + Steel + Insulation + Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8" composite overlay trim

## OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Coped edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode


## BRADBERRY (BB)




CLOSED SQUARE (BB104)



CLOSED SQUARE (BB104)    CLOSED ARCH (BB105)




CLEAR SQUARE (BB115)    CLEAR ARCH (BB114)



3 LITE SQUARE (BB106)    3 LITE ARCH (BB110)



6 LITE SQUARE (BB112)    6 LITE ARCH (BB108)



4 LITE SQUARE (BB107)    4 LITE ARCH (BB111)



8 LITE SQUARE (BB113)    8 LITE ARCH (BB109)

## KENSINGTON (KT)



CLOSED SQUARE (KT104)



CLOSED SQUARE (KT104)    CLOSED ARCH (KT105)



CLEAR SQUARE (KT115)    CLEAR ARCH (KT114)



3 LITE SQUARE (KT106)    3 LITE ARCH (KT110)



6 LITE SQUARE (KT112)    6 LITE ARCH (KT108)



4 LITE SQUARE (KT107)    4 LITE ARCH (KT111)



8 LITE SQUARE (KT113)    8 LITE ARCH (KT109)

## SEABROOK (SB)



CLOSED SQUARE (SB104)



CLOSED SQUARE (SB104)    CLOSED ARCH (SB105)




CLEAR SQUARE (SB115)    CLEAR ARCH (SB114)



3 LITE SQUARE (SB106)    3 LITE ARCH (SB110)



6 LITE SQUARE (SB112)    6 LITE ARCH (SB108)



4 LITE SQUARE (SB107)    4 LITE ARCH (SB111)



8 LITE SQUARE (SB113)    8 LITE ARCH (SB109)

## ROSEMONT (RM)



CLOSED SQUARE (RM104)



CLOSED SQUARE (RM104)    CLOSED ARCH (RM105)




CLEAR SQUARE (RM115)    CLEAR ARCH (RM114)



3 LITE SQUARE (RM106)    3 LITE ARCH (RM110)



6 LITE SQUARE (RM112)    6 LITE ARCH (RM108)



4 LITE SQUARE (RM107)    4 LITE ARCH (RM111)



8 LITE SQUARE (RM113)    8 LITE ARCH (RM109)

## WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with coped edges
- Available in Clear, Obscure<sup>†</sup> or Insulated<sup>†</sup> glass


<sup>†</sup>Price upcharge applies.

## COLORS


Actual paint colors may vary from samples shown.




TRUE WHITE / WHITE (W1)



ALMOND / WHITE (A1)



WICKER TAN / WHITE (K1)



SANTONE / WHITE (S1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings. Non-factory painting of garage door voids the paint finish warranty.

## DECORATIVE HARDWARE

### STAMPED STEEL

#### BLUE RIDGE



11" HANDLES



16" STRAP HINGES

#### ALPINE



11" HANDLES



10-1/2" HANDLES

DESIGNS NOT AVAILABLE WITH WINDOWS

**ASHLEY (AL)\***



CLOSED SQUARE (AL104)



CLOSED SQUARE (AL104)    CLOSED ARCH (AL105)

**CHARLTON (CT)\***




CLOSED SQUARE (CT104)



CLOSED SQUARE (CT104)    CLOSED ARCH (CT105)

**FAIRFIELD (FF)**



CLOSED SQUARE (FF104)



CLOSED SQUARE (FF104)    CLOSED ARCH (FF105)

**MIDDLETON (MT)**



CLOSED SQUARE (MT104)




CLOSED SQUARE (MT104)    CLOSED ARCH (MT105)

**GREENBRIAR (GB)\***



CLOSED SQUARE (GB104)




CLOSED SQUARE (GB104)    CLOSED ARCH (GB105)

**DARBY (DB)**



CLOSED SQUARE (DB104)




CLOSED SQUARE (DB104)    CLOSED ARCH (DB105)

**NEWBERRY (NB)**



CLOSED SQUARE (NB104)



CLOSED SQUARE (NB104)    CLOSED ARCH (NB105)

**TANGLEWOOD (TW)**




CLOSED SQUARE (TW104)




CLOSED SQUARE (TW104)    CLOSED ARCH (TW105)

**ARCADIA (AR)†**




CLOSED SQUARE (AR104)

**RAVENWOOD (RW)†**




CLOSED SQUARE (RW104)

**BROOKLAND (BL)†**



CLOSED SQUARE (BL104)

**MAGNOLIA (MG)†**



CLOSED SQUARE (MG104)

\*Available in 6" width (no window options).  
†Closed Square only.

**ALUMINUM**

**CANTERBURY**



17" STRAP HINGES WITH CLAVOS

**VERSAILLES**



9" HANDLES

18" STRAP HINGES WITH CLAVOS

11" L-HINGE WITH CLAVOS

**CASTLE ROCK**



12" HANDLES

16" STRAP HINGES

**CLAVOS**



1-3/4" CLAVOS

**MAPLE CREEK**



11" HANDLES

18" STRAP HINGES

**NOTTINGHAM**



10" tall


5" tall

18" STRAP HINGES

Aluminum decorative strap hinges with clavos not recommended for arch openings.

2-sided adhesive disks required when applying to overlay; must be purchased separately.

**DOOR WIDTHS** Only available in widths shown; not available in odd widths



\*Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).

**DOOR HEIGHTS** Available in 6'6" - 10' heights in 3" increments†



†Rosemont not available in 8'3", 8'9", 9'3" and 9'9"; Tanglewood not available in 6'3" and 7'3" door heights.

**DOOR CONFIGURATIONS**

DOOR HEIGHT	INCHES	# OF SECTIONS	DESIGNS AVAILABLE WITH WINDOWS					DESIGNS NOT AVAILABLE WITH WINDOWS				
			BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT† & SEABROOK					ARCADIA, ASHLEY, BROOKLAND, CHARLTON, DARBY, FAIRFIELD, GREENBRIER, MAGNOLIA, MIDDLETON, NEWBERRY, RAVENWOOD & TANGLEWOOD‡				
			SECTION HEIGHTS (IN INCHES)					SECTION HEIGHTS (IN INCHES)				
			TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION	TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION
6'6"	78	4	24	18	18		18	18	18			24
6'9"	81	4	24	18	21		18	18	21	18		24
7'	84	4	24	18	24		18	18	24	18		24
7'3"	87	4	24	21	21		21	21	21	21		24
7'6"	90	4	24	24	18		24	24	18	24		24
7'9"	93	4	24	24	21		24	24	21	24		24
8'	96	4	24	24	24		24	24	24	24		24
8'3"*	99	5	24	18	18	18	21	21	18	18	18	24
8'6"*	102	5	24	18	21	21	18	21	18	21	18	24
8'9"*	105	5	24	21	18	18	24	24	21	18	18	24
9'	108	5	24	24	18	18	24	24	24	18	18	24
9'3"*	111	5	24	21	21	21	24	24	21	24	18	24
9'6"*	114	5	24	24	21	21	24	24	24	24	18	24
9'9"*	117	5	24	24	21	24	24	24	24	24	21	24
10'	120	5	24	24	24	24	24	24	24	24	24	24

\*Height not available in widths greater than 16' †Not available in 8'3", 8'9", 9'3" and 9'9" door heights ‡Not available in 6'3" and 7'3" door heights

**SPECIFICATIONS**

PANEL DESIGNS	CARRIAGE COURT CC4000
Carriage House	18 Designs
INSULATION <sup>1</sup>	Polystyrene
R-VALUE <sup>2</sup>	6.48
ENERGY EFFICIENCY	Superior
QUIET OPERATION	Extra Quiet
DOOR THICKNESS	2"
WINDOW GLASS OPTIONS	
DSB Glass	•
Obscure Glass	•
Insulated Glass	•
WIND LOAD <sup>3</sup> AVAILABLE	•
PAINT FINISH WARRANTY <sup>4</sup>	Lifetime
WORKMANSHIP/HARDWARE WARRANTY <sup>4</sup>	5 Years
WINDOW/OVERLAY DISCOLORATION <sup>4</sup>	10 Years
OVERLAY DELAMINATION <sup>4</sup>	5 Years

<sup>1</sup> Insulation has passed self-ignition, flamespread and smoke developed index fire testing. <sup>2</sup> Calculated door section R-value is in accordance with DASMA TDS-163. <sup>3</sup> It is your responsibility to make sure your garage door meets local building codes. <sup>4</sup> For complete warranty details, visit amarr.com or contact your local Amarr dealer.

<p>PAINT FINISH</p> <p><b>LIFETIME</b></p> <p>LIMITED WARRANTY</p>	<p>WINDOW/OVERLAY DISCOLORATION</p> <p><b>10-YEAR</b></p> <p>LIMITED WARRANTY</p>	<p>WORKMANSHIP &amp; HARDWARE</p> <p><b>5-YEAR</b></p> <p>LIMITED WARRANTY</p>	<p>OVERLAY DELAMINATION</p> <p><b>5-YEAR</b></p> <p>LIMITED WARRANTY</p>	<p>R-VALUE</p> <p><b>6.48</b></p>
--	---	--	--	-----------------------------------

YOUR LOCAL AMARR DEALER:

**Amarr Company**  
 165 Carriage Court  
 Winston-Salem, NC 27105  
 800.503.DOOR  
 www.amarr.com



Door specifications and technical data subject to change without notice. Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

Amarr as word and logo are trademarks owned by Amarr Company.